


Vermeer®

Brush Chipper

BC600XL



Vermeer®

Vermeer®

BC600XL

Compact, Feature Packed & Ready to Produce Results.

Job after job, the Vermeer® 600 series of brush chippers have proven their reputation as the leader in its class of machines. Known for its ease-of-use and transportability, the compact, feature-packed 600 series is a top-of-the-line performer. The newest member of the family, the BC600XL is sure to continue this tradition. This disc-style chipper is the right choice for rental companies, municipal work crews, landscaping

professionals, golf course managers and tree service contractors that want a dependable brush chipper capable of processing material up to 6" (15 cm) in diameter. With the standard Auto Feed II® system to maximize productivity and the innovative Bottom Feed Stop Bar to enhance operator safety, the BC600XL brush chipper is the right choice for experts or novices looking to process brush or limbs. Put a BC600XL to the test today!



Proven, Job After Job.

Brush Chipper



27 HP gas engine option.

The BC600XL comes standard with the Kohler Command 27 HP power unit which boasts an 8% increase in horsepower as compared its successful predecessor the BC625A.



A smooth towing experience.

The standard 2000 lb (907 kg) torsion axle with independent rubber cushioned wheel movement reduces the transfer of road shock to the machine. Reduced stress means longer life for frame and major components.



Built-in safety features. *Because it's made by Vermeer, safety of the infeed system is built into the design of the BC600XL. A 64" (163 cm) long feed table is part of the safety distance guarding concept used by Vermeer. In addition, all BC600XL units feature the innovative Bottom Feed Stop Bar designed to make it possible for the operator's leg to strike the bar and stop the feed either intentionally or automatically in an emergency.*

Auto Feed II enhances ease-of-use and efficiency.

The Vermeer Auto Feed II system automatically monitors engine RPM and controls the feed roller accordingly to maximize efficiency while reducing engine stress, supporting ease of operation, and reducing material jams.

BC600XL Specifications

General

Weight: Gas – 1900 lbs. (789 kg);
Length: 110" (267 cm)
Width: 53.5" (130 cm)
Height: 94" (239 cm)

Engine Options

Make/Model: Kohler Command Pro 27
Gross HP: 27 HP (19 kw) @ 3600 RPM
Max. torque: 42.7 ft-lb (54 Nm) @ 3000 RPM
Type of fuel: Gas
Number of cylinders: 2

Capacities

Fuel tank: 7 gal. (26 L)
Hydraulic tank: 7 gal. (26 L)

Cutting System

Disc size: 24" dia. x 1.25" width
(61 cm x 3.2 cm)
Speed: 1835 RPM
Knives: Two 5/8" x 3.5" x 8"
(1.6 cm x 8.9 cm x 20 cm)
Bedknife: 4-edge, 3/4" x 5" x 6.6" A8 steel
(1.9 cm x 13 cm x 16.8 cm)

Feed/Discharge System

Infeed opening: 6" x 6" (15 cm x 15 cm)
Feed-table length: 64" (163 cm)
Feed-table height: 30" (76 cm)
Feed-roller style: One horizontal, 8" (20 cm) dia.
Infeed rate: 0 fpm – 230 fpm
(0 m/min. – 70.1 m/min.)
Discharge height: 94" (239 cm)
Chute Rotation: 240°

Chassis

Frame: 11-gauge
Wheels: 8" x 7" (20 cm x 18 cm) – 5-bolt
Tires: 18.5" x 8.5" x 8" (47 cm x 21.6 cm x 20 cm)
Axle/Suspension: 2000 lb. (907 kg) torsion axle
Electric Brakes: Optional

Electrical


System voltage: 12-volt
Lights: Turning, license, brake, tail and side marker



Your Complete Global Service Provider for Quality Parts and Service.



Get the parts and service edge. In addition to providing quality equipment, Vermeer delivers top-quality parts and superior services. Vermeer parts are manufactured to exacting specifications to help keep your Vermeer equipment running trouble-free and at OEM specifications.



Vermeer offers factory-certified training programs to its dealer network to ensure that the most current service procedures are presented to the service personnel of your Vermeer dealer.



Genuine Vermeer parts are precision crafted to match your Vermeer equipment EXACTLY. This ensures that your system will run as smoothly as possible, with the least amount of service and maintenance.

Vermeer®

Vermeer Manufacturing Company

1210 Vermeer Road East
P.O. Box 200
Pella, Iowa 50219 U.S.A.
Phone: (641) 628-3141
Fax: (641) 621-7734
International fax: +1 (641) 621-7730
www.vermeer.com

Call toll-free 1-888-VERMEER
1-888-837-6337 (U.S.A. only)

Europe, Middle East and Africa:

P.O. Box 323
4460 AS Goes
Netherlands
Phone: +31 113 272700
Fax: +31 113 272727

Building Industry Alliances to Serve You Better.

Vermeer has forged strong strategic alliances with tree industry giants that include Sherrill Incorporated and ArborMaster Training. These alliances ensure that top-quality industry support is the standard at Vermeer dealerships. Membership with the NAA and ISA helps Vermeer stay in touch with the customers it serves and the issues they face.



Equipment shown is for illustrative purposes only and may display optional accessories or components. Please contact your local Vermeer dealer for more information about machine specifications. Vermeer Manufacturing Company reserves the right to make changes in engineering, design, and specifications; add improvements; or discontinue manufacturing at any time without notice or obligation.

VERMEER, VERMEER LOGO, and AUTOSWEEP are registered trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries.

KOHLER is a registered trademark of Kohler Company. SHERRILL is a trademark of Sherrill Incorporated.

Copyright © 2005 Vermeer Manufacturing Company. All Rights Reserved.